



**Jovana P. Janjić<sup>1</sup>** 

International Nursery and Primary School, Belgrade, Serbia

**Neda R. Milošević**

Academy for Humane Development, Belgrade, Serbia

**Gordana R. Čolić**

Teacher Education Faculty in Leposavić, University of Priština  
with a temporary seat in Kosovska Mitrovica, Leposavić, Serbia

**Original  
research paper**

Paper received: Apr 19 2024  
Paper accepted: May 16 2024  
Article Published: Oct 23 2024

## ***Interference and Development of Articulation in Mother Tongue and Foreign Language in Preschool Children***

### **Extended summary**


Linguistic interdependence is a challenge not only when it comes to bilingualism, but also to learning any new language, especially in the domain of phonetics and phonology. Exposure to a new language raises the question of the existence of a common phonological space and its influence on the formation of the sound base of the new language.

Various theories draw attention to the function and importance of the common phonological space during learning a new language (see the Speech Learning Model Theory -SLM; Flege, 1995; Flege & Bohn, 2021; Theory of Phonological Interference; Brown, 1998; Brown, 2000; The Perception Assimilation Model – PAM; Best, 1994; Best et al., 2007).

In children with articulatory and phonological disorders, understanding the development of the phonetic-phonemic system of a new language is of particular importance.

---

1 jovanajanjic984@hotmail.com;

 <https://orcid.org/0009-0005-5809-1122>

2 The research was financed by the Ministry of Science, Technological Development and Innovations of the Republic of Serbia, Contract No. 451-03-66/2024-03/ 200018.

Copyright © 2024 by the authors, licensee Teacher Education Faculty University of Belgrade, SERBIA.

This is an open access article distributed under the terms of the Creative Commons Attribution License (CC BY 4.0) (<https://creativecommons.org/licenses/by/4.0/>), which permits unrestricted use, distribution, and reproduction in any medium, provided the original paper is accurately cited.

---

The aim of the research was to determine the articulation patterns of preschool children in their mother tongues, Serbian and French, and to relate these patterns to articulation deviations in English.

The research included 33 preschool-age children with articulation disorders from Belgrade who attended a preschool program in English and whose mother tongues are Serbian and French. The mean age of the children was five and a half years (SD =.49, age range 5–6,10 years). Eighteen of them spoke Serbian and 15 spoke French as their mother tongue.

The Global Articulation Test (Kostić et al., 1983) was used to assess articulation disorders in the Serbian language. Articulation deviations in the French language were assessed with the test for the assessment of articulation disorders and phonological disorders (Fr. Dépistage Rapide Articulation et Phonologie - DRAP) (Niederberger et al., 2021), while a part of the test for the diagnosis of articulation disorders in children aged 3.0-8,11 years (Eng. The Diagnostic Evaluation of Articulation and Phonology - DEAP; Dodd et al., 2002) was used to evaluate the articulation in the English language.

Apart from descriptive statistics, we used Student's t-test, chi-square test, Mann-Whitney U test, correlation analysis, and the Two-Way ANOVA.

Eighteen children (10 boys and 8 girls) spoke Serbian. The average age of the children was five years and five months (SD=.510). In 13 children (72.2%), substitution of the sounds Ч, Њ, Њ and Ж with C, 3 and Њ was identified; four children (22.2%) had an omission of the sounds P, Њ and Ђ, while one child (5.6%) had a distortion of the sounds C, 3 and Њ.

In the English language, in nine Serbian speaking children (50%), the substitution of the sounds /tʃ/, /ʃ/ with /s/ and /z/ was identified, in seven (38.9%) the omission of the sounds /r/, /l/ and /w/, while distortion of the sounds /tʃ/, /s/ and /z/ was identified in two children (11.1%).

In Serbian speaking children, no statistically significant difference was detected in articulation disorders in Serbian and English ( $t(17)=-1$ ,  $p=.331$ ), while Spearman's correlation shows a significant degree of connection between articulation patterns in Serbian and English ( $\rho=.708$   $p<.001$ ).

The two-factor analysis of variance confirms the influence of articulatory deviations in the Serbian language on the formation of the articulatory base of the English language ( $F(2, 16)=6.78$ ,  $p<.01$ ).

In relation to gender, no statistically significant difference in terms of articulation disorders was found between boys and girls, neither in Serbian ( $U(18)=38$ ,  $p=.821$ ) nor in English ( $U(18)=38.50$ ,  $p=.883$ ).

Eight boys (53.3%) and seven girls (46.7%) were speakers of French. The average age of the children was five years and six months (SD=.480).

The largest number of the tested French children had distortions of the sounds /ʃ/, /ʒ/, /s/, /z/ (10 children, 66.7%), followed by substitutions of the sounds /ʃ/ and /ʒ/ with the sounds /s/ and /z/ (three children, 20%) while two children (13.3%) made the omission of the /l/ sound.

---

The highest percentage of the French children (7 children, 46.7%) showed no deviations in the development of articulation in English. Distortion of the sounds /tʃ/, /ʃ/, /s/ and /z/ was detected in two French children (13.3%), in four (26.7%) the substitution of the sounds /tʃ/, /ʃ/ with the sounds /s/ and /z/, while in two children (13.3%) the omission of the voice /l/ was identified, which influenced the emergence of a statistically significant difference in articulation achievements in French and English ( $t(14)=2.44$ ,  $p=.028$ ).

In relation to gender, articulation disorders did not differ statistically significantly in any of the tested languages (for French  $U(15)=23.50$ ,  $p=.533$ ; for English  $U(15)=25.50$ ,  $p=.758$ ).

Using Spearman's correlation, a statistically strong correlation between articulation disorders in French and English was found ( $\rho=.846$ ,  $p<.000$ ).

The results of the two-factor analysis of variance also confirmed the influence of interference between the articulatory bases of French and English ( $F(2, 14)=20.15$ ,  $p<.000$ ), while the influence of gender on the appearance of difficulties in English in the French speaking children was not distinguished as significant ( $F(1, 14)=.471$ ,  $p=.639$ ).

The results of the research confirmed the theoretical implications of the impact of the transfer and interference of the mother tongue on the language being learned, in this case through changed articulation schemes and patterns of the phonemic-phonetic space of the new language. The importance of transferring articulation patterns from different native languages to the formation of the articulation base of a new language opens up space for further research, bearing in mind that adequately constructed phonemic-phonetic patterns of the sounds of the language being learned influence the easier processing of phonologically complex words, morphosyntactic markers that are uttered, but also to a number of discourse functions and successful oral communication, which is not the case with this group of children.

**Keywords:** mother tongue, foreign language, interference, articulation, bilingualism

## References

- Aicart-De Falco, S., & Vion, M. (1987). La mise en place du système phonologique du français chez les enfants entre 3 et 6 ans: une étude de la production. *Cahiers de Psychologie Cognitive*, 7, 247–266.
- Barac, R., & Bialystok, E. (2011). Cognitive development of bilingual children. *Language Teaching*, 44(1), 36–54. <https://doi.org/10.1017/S0261444810000339>
- Best, C. T. (1994). The emergence of native-language phonological influences in infants: A perceptual assimilation model. *The development of speech perception: The transition from speech sounds to spoken words*, 167(224), 233–277.
- Best, C. T., Tyler, M., Bohn, O., & Munro, M. (2007). Nonnative and second-language speech perception. *Language experience in second language speech learning*, 13–34. <http://digital.casalingua.it/9789027292872>
- Black, L. I., Vahratian, A., & Hoffman, H. J. (2015). Communication Disorders and Use of Intervention Services among Children Aged 3–17 Years: United States, 2012. *NCHS Data Brief*, 205, 1–8.

- 
- Brazil, D. (1997). *The communicative value of intonation in English book*. Cambridge University Press.
  - Broomfield, J., & Dodd, B. (2004). Children with speech and language disability: caseload characteristics. *International Journal of Language & Communication Disorders*, 39(3), 303-324. <https://doi.org/10.1080/13682820310001625589>
  - Brosseau-Lapr e, F., & Rvachew, S. (2014). Cross-linguistic comparison of speech errors produced by English-and French-speaking preschool-age children with developmental phonological disorders. *International Journal of Speech-Language Pathology*, 16(2), 98-108. <https://doi.org/10.3109/17549507.2013.794863>
  - Brown, C. A. (1998). The role of the L1 grammar in the L2 acquisition of segmental structure. *Second Language Research*, 14(2), 136-193. <https://doi.org/10.1191/026765898669508401>
  - Brown, C. (2000). The interrelation between speech perception and phonological acquisition from infant to adult. *Second language acquisition and linguistic theory*, 1, 4-64.
  - De Boysson-Bardies, B., Fernald, A., Taeschner, T., Dunn, J., Papousek, M., & Fukui, I. (1989). A cross-language study of prosodic modifications in mothers' and fathers' speech to preverbal infants. *Journal of child language*, 16(3), 477-501. <https://doi.org/10.1017/S0305000900010679>
  - De Boysson-Bardies, B., Hall e, P., Sagart, L., & Durand, C. (1989). A crosslinguistic investigation of vowel formants in babbling. *Journal of child language*, 16(1), 1-17. <https://doi.org/10.1017/S0305000900013404>
  - Dodd, B., Zhu, H., Crosbie, S., Holm, A., & Ozanne, A. (2002). *Diagnostic evaluation of articulation and phonology (DEAP)*. Psychology Corporation.
  - Dodd, B., Ttofari-Eecen, K., Brommeyer, K., Ng, K., Reilly, S., & Morgan, A. (2018). Delayed and disordered development of articulation and phonology between four and seven years. *Child Language Teaching and Therapy*, 34(2), 87-99. <https://doi.org/10.1177/0265659017735958>
  - Dragi c,  .  ., & Vu kovi c, D. L. (2020). Relation between phonological awareness and systematic literacy instruction: is conditionality one-way in consistent orthographies? *Inovacije u nastavi*, 33(3), 28-42. <https://doi.org/10.5937/inovacije2003028D>
  -  oli c, G., & Vukovi c, M. (2018). Doprinos fonološke i sintaksi ke svesnosti u po etnom  itanju. *Psihološka istraţivanja*, 21(1), 75-90.
  - Elvin, J., Williams, D., Shaw, J. A., Best, C. T., & Escudero, P. (2021). The role of acoustic similarity and non-native categorisation in predicting non-native discrimination: Brazilian Portuguese vowels by English vs. Spanish listeners. *Languages*, 6(1), 44. <https://doi.org/10.3390/languages6010044>
  - Escudero, P. (2009). Linguistic perception of „similar” L2 sounds. *Phonology in perception*, 15, 152-190.
  - Field, J. (2008). Revising segmentation hypotheses in first and second language listening. *System*, 36(1), 35-51. <https://doi.org/10.1016/j.system.2007.10.003>
  - Flege, J. E. (1995). Second language speech learning: Theory, findings, and problems. *Speech perception and linguistic experience: Issues in cross-language research*, 92, 233-277. <https://www.researchgate.net/publication/333815781>
-

- 
- Flege, J. E., & Bohn, O. S. (2021). The revised speech learning model (SLM-r). *Second language speech learning: Theoretical and empirical progress*, 3–83. <https://www.researchgate.net/publication/349040886>
  - Flipsen Jr., P. (2015). Emergence and prevalence of persistent and residual speech errors. *Seminars in Speech and Language*, 36(4), 217–223. <https://doi.org/10.1055/s-0035-1562905>
  - Goldschneider, J. M., & DeKeyser, R. M. (2001). Explaining the „natural order of L2 morpheme acquisition” in English: A meta-analysis of multiple determinants. *Language Learning*, 51(1), 1–50. <https://doi.org/10.1111/1467-9922.00147>
  - Golubović, S., & Petrović, M. (2012). The frequency of speech and language pathology in early childhood. *International Journal of Psychophysiology*, 85(3), 380–381. <http://dx.doi.org/10.1016%2Fj.ijpsycho.2012.07.049>
  - Golubović, S., Ječmenica, N., Jovanović-Simić, N., & Petrović-Lazić, M. (2019). Artikulacione i fonološke sposobnosti dece uzrasta od pet do sedam godina. *Nastava i vaspitanje*, 68(2), 265–283. <https://doi.org/10.5937/nasvas1902265G>
  - Grosjean, F. (2021). *Life as a bilingual: Knowing and using two or more languages*. Cambridge University Press.
  - Gunnerud, H. L., Ten Braak, D., Reikerås, E. K. L., Donolato, E., & Melby-Lervåg, M. (2020). Is bilingualism related to a cognitive advantage in children? A systematic review and meta-analysis. *Psychological Bulletin*, 146(12), 1059. <https://doi.org/10.1037/bul0000301>
  - Isaacs, T., Trofimovich, P., & Foote, J. A. (2018). Developing a user-oriented second language comprehensibility scale for English-medium universities. *Language Testing*, 35(2), 193. <https://doi.org/10.1177/0265532217703433>
  - Janjić, J., Nikolić, S., i Ilić-Stošović, D. (2019). Fonološke karakteristike maternjeg i stranog jezika kod dece sa razvojnim poremećajem koordinacije (str. 111–118). Fakultet za specijalnu edukaciju i rehabilitaciju. [https://hdl.handle.net/21.15107/rcub\\_rfasper\\_3167](https://hdl.handle.net/21.15107/rcub_rfasper_3167)
  - Janjić, J., Nikolić, S., i Stošović, D. I. (2021). Ortografske kompetencije i fonološka svesnost dece sa razvojnim poremećajem koordinacije. *Specijalna edukacija i rehabilitacija*, 20(3), 171–183. <https://doi.org/10.5937/specedreh20-33182>
  - Janjić, J. (2022). *Specifičnosti usvajanja stranog jezika kod dece sa razvojnim poremećajem koordinacije* (doktorska disertacija). [https://nardus.mpn.gov.rs/bitstream/handle/123456789/20789/Disertacija\\_12665.pdf?sequence=1](https://nardus.mpn.gov.rs/bitstream/handle/123456789/20789/Disertacija_12665.pdf?sequence=1)
  - Kehoe, M., & Girardier, C. (2020). What factors influence phonological production in French speaking bilingual children, aged three to six years?. *Journal of Child Language*, 47(5), 945–981. <https://doi.org/10.1017/S0305000919000874>
  - Kostić, Đ., Vladislavljević, S., i Popović, M. (1983). Globalni artikulacioni test. U S. Vladislavljević, Đ. Kostić, i M. Popović (ur.). *Testovi za ispitivanje govora i jezika* (str. 179–189). Zavod za udžbenike i nastavna sredstva.
  - Kormos, J., Košak Babuder, M., & Pižorn, K. (2019). The role of low-level first language skills in second language reading, reading-while-listening and listening performance: A study of
-

- 
- young dyslexic and non-dyslexic language learners. *Applied Linguistics*, 40(5), 834–858. <https://doi.org/10.1093/applin/amy028>
- Lang, B., & Davidson, L. (2019). Effects of exposure and vowel space distribution on phonetic drift: Evidence from American English learners of French. *Language and Speech*, 62(1), 30–60. <https://doi.org/10.1177/0023830917737111>
  - Levis, J. M. (2006). Pronunciation and the assessment of spoken language. In *Spoken English, TESOL and applied linguistics: Challenges for theory and practice* (pp. 245–270). Palgrave Macmillan UK.
  - Levy, E. S., & Law, F. F. (2010). Production of French vowels by American-English learners of French: Language experience, consonantal context, and the perception-production relationship. *The Journal of the Acoustical Society of America*, 128(3), 1290–1305. <https://doi.org/10.1121/1.3466879>
  - MacLeod, A. N., Sutton, A., Trudeau, N., & Thordardottir, E. (2011). The acquisition of consonants in Quebecois French: A cross-sectional study of pre-school aged children. *International Journal of Speech-Language Pathology*, 13, 93–109. <https://doi.org/10.3109/17549507.2011.487543>
  - Majorano, M., Vihman, M. M., & DePaolis, R. A. (2014). The relationship between infants' production experience and their processing of speech. *Language Learning and Development*, 10(2), 179–204. <https://doi.org/10.1080/15475441.2013.829740>
  - Milićević-Stanković, I., Golubović, S., & Kašić, Z. (2014). Regional pronunciation and non typical articulation in preschool children. *Beogradska defektološka škola*, 20(3), 613–626. <http://rfasper.fasper.bg.ac.rs/handle/123456789/828>
  - Milošević, N., & Vuković, M. (2010). Articulation-phonological deficits in children with specific developmental language impairment. *Specijalna edukacija i rehabilitacija*, 437. <http://rfasper.fasper.bg.ac.rs/handle/123456789/415>
  - Milošević, N., Vuković, M., & Ristić, I. (2022). Phonemic awareness as an indicator of preliteracy abilities in Serbian speaking children with and without specific language impairment. *Inovacije u nastavi*, 35(1), 118–131. <http://dx.doi.org/10.5937/inovacije2201118M>
  - Niederberger, N., Kehoe, M., & Bouchut, A. L. (2021). DRAP: un test de Dépistage Rapide de l'Articulation et de la Parole pour les enfants de 3 à 6 ans. *Glossa*, 33–58. <https://www.researchgate.net/publication/353646001>
  - Overby, M. S., Trainin, G., Smit, A. B., Bernthal, J. E., & Nelson, R. (2012). Preliteracy speech sound production skill and later literacy outcomes: A study using the Templin Archive. *Language, Speech, and Hearing Services in Schools*, 43(1), 97–115. [https://doi.org/10.1044/0161-1461\(2011/10-0064\)](https://doi.org/10.1044/0161-1461(2011/10-0064))
  - Peterson, R. L., Pennington, B. F., Shriberg, L. D., & Boada, R. (2009). What influences literacy outcome in children with speech sound disorder? *Journal of speech, language, and hearing research: JSLHR*, 52(5), 1175–1188. [https://doi.org/10.1044/1092-4388\(2009/08-0024\)](https://doi.org/10.1044/1092-4388(2009/08-0024))
  - Preston, J. L., Hull, M., & Edwards, M. L. (2013). Preschool speech error patterns predict articulation and phonological awareness outcomes in children with histories of speech

- 
- sound disorders. *American journal of speech-language pathology*, 22(2), 173–184. [https://doi.org/10.1044/1058-0360\(2012/12-0022\)](https://doi.org/10.1044/1058-0360(2012/12-0022))
- Saito, K. (2013). Reexamining effects of form-focused instruction on L2 pronunciation development: The role of explicit phonetic information. *Studies in Second Language Acquisition*, 35(1), 1–29. <https://doi.org/10.1017/S0272263112000666>
  - Saito, K. (2023). How does having a good ear promote successful second language speech acquisition in adulthood? Introducing auditory precision hypothesis-L2. *Language Teaching*, 1–17. <https://doi.org/10.1017/S0261444822000453>
  - Tinsley, T., & Comfort, T. (2012). *Lessons from abroad: International review of primary languages*. CfBT: Education Trust.
  - Turner, J. (2024). The role of L2 input in developing a novel L2 contrast phonetically and phonologically: Production evidence from a residence abroad context. *Second Language Research*, 0(0). <https://doi.org/10.1177/02676583231217166>
  - Turner, M., & Tour, E. (2023). Literacies in the English classroom: leveraging and extending the linguistic repertoire of all students. *The Australian Journal of Language and Literacy*, 1, 14. <https://doi.org/10.1007/s44020-023-00045-3>
  - Trubeckoj, N. S. (2016). *Načela fonologije*. Izdavačka knjižarnica Zorana Stojanovića.
  - Wren, Y., Miller, L. L., Peters, T. J., Emond, A., & Roulstone, S. (2016). Prevalence and predictors of persistent speech sound disorder at eight years old: Findings from a population cohort study. *Journal of Speech, Language, and Hearing Research*, 59(4), 647–673. [https://doi.org/10.1044/2015\\_JSLHR-S-14-0282](https://doi.org/10.1044/2015_JSLHR-S-14-0282)
  -